

COAXIAL CABLE

CATV, MATV, AND COMPUTER APPLICATIONS


Construction

Applications:

- Suitable for RF signal transmission.
- MATV.
- Local area network.
- Citizen band radio.
- Cathode ray tube (CRT).

Packaging:

- 1000 ft spools.



CUSTOM CATALOG NUMBER	SIZE	INSULATION CORE	SHIELD COVERAGE	NOMINAL O.D.	NOM. CAP. (pF/ft)	VEL. OF PROP. (%)	NOM. IMP. (Ω)	NOMINAL ATTENUATION		NOMINAL WEIGHT
	AWG/MCM	INCHES		INCHES				MHz	DB/100 FT	
359 RG59/U UL Style 1354	22 AWG Solid Bare Copperweld	Solid Polyethylene	95% Bare Copper Braid	Black PVC	20.5	66	73	50	2.4	41
		0.144		0.242				100	3.4	
								200	4.9	
								500	9.1	
								900	13.9	
359A RG59/U NEC Type CL2 & CATV AWM 1354	22 AWG Solid Bare Copperweld	Cellular Polyethylene	95% Bare Copper Braid	Black PVC	16.3	78	80	50	2.1	37
		0.144		0.242				100	2.9	
								200	4.1	
								500	6.6	
								900	8.8	
359B RG59B/U MIL-C-17D	23 AWG Solid Bare Copperweld	Solid Polyethylene	95% Bare Copper Braid	Black Non-Contaminating PVC	20.7	66	75	50	2.4	36
		0.144		0.242				100	3.4	
								200	4.9	
								500	9.1	
								900	13.9	
359C RG59/U NEC Type CL2 CATV UL Style 1354	22 AWG Solid Bare Copperweld	Cellular Polyethylene	100% Alum. Mylar Plus 40% Alum. Braid	Black PVC	16.0	78	80	50	1.9	25
		0.144		0.238				100	2.7	
								200	4.0	
								500	6.5	
								900	9.0	
359D RG59/U NEC Type CL2 CATV UL Style 1354	20 AWG Solid Bare Copperweld	Cellular Polyethylene	100% Alum. Mylar Plus 40% Alum. Braid	Black PVC	18.4	78	75	50	1.8	25
		0.146		0.242				100	2.6	
								200	3.8	
								500	6.2	
								900	8.6	
359E RG59/U NEC Type CL2 CATV UL Style 1354	20 AWG Solid Bare Copperweld	Cellular Polyethylene	100% Alum. Mylar Plus 67% Alum. Braid	Black PVC	18.4	78	75	50	1.8	26
		0.146		0.242				100	2.6	
								200	3.8	
								500	6.2	
								900	8.4	
359F RG59/U NEC Type CL2	20 AWG Solid Bare Copperweld	Cellular Polyethylene	(2) 100% Alum. Mylar Plus (2) 40% Alum. Braid	Black PVC	18.4	78	75	50	1.8	30
		0.146		0.242				100	2.6	
								200	3.8	
								500	6.2	
								900	8.4	

R

Custom Cable Corp.



UL Recognized Component
Underwriters Laboratories Inc.

CSA Certified
Canadian Standard Association

242 Butler Street • Westbury, New York 11590-3193 • Tel: (516) 334-3600 • Toll Free: (800) 832-3600 • FAX: (516) 334-3989

www.customwireandcable.com • email: sales@customwireandcable.com